

2026 Salina Highbanks Speedway FWD Trophy Car Rules

COMPETIORS ALLOWED

1. NO DRIVERS WHO PLACED IN THE TOP 10 IN FINAL POINT STANDINGS IN ANY DIVISION OTHER THAN TROPHY DIVISION FROM 2019-CURRENT
2. NO DRIVERS WITH FEATURE WINS IN ANY DIVISION OTHER THAN TROPHY CARS AT SALINA HIGHBANKS SPEEDWAY SINCE THE TRACK'S RE-OPENING IN 2011
3. NO DRIVER WHO HAS PREVIOUSLY WON THE FWD DIVISION MAY COMPETE IN THIS DIVISION. DRIVER MUST COMPETE IN ANOTHER DIVISION.
4. SALINA HIGHBANKS SPEEDWAY MAY PROHIBIT ANY DRIVER FROM COMPETING IN THIS DIVISION AT THE OFFICIALS' DISCRETION
5. DRIVERS MUST BE AT LEAST 14 YEARS OLD – DRIVERS UNDER THE AGE OF 19 MUST HAVE A PARENT PRESENT AND COMPLETE A MINOR RELEASE FORM.

VEHICLES ALLOWED

6. NO RACE CARS PERMITTED – STOCK CARS ONLY (2 DOOR OR 4 DOOR)
7. NO CONVERTIBLES
8. NO FULL SIZE TRUCKS, NO SUV'S OR JEEP-TYPE VEHICLES
9. NO 4-WHEEL DRIVE VEHICLES
10. MAY BE 4, 6 OR 8 CYLINDER ENGINES

VEHICLE RULES

11. CARS WITH A MINIMUM 101" WHEEL BASE ONLY
12. MINIMUM 4 POINT ROLL CAGE REQUIRED
13. STEEL BAR ON DRIVER DOOR IS PERMITTED
14. GUTTING OF FACTORY INTERIOR PANELS ALLOWED ONLY FOR ROLL CAGE CLEARANCE
15. INNER DOOR BRACING MAY BE REMOVED TO REPLACE WITH DOOR BARS
16. ALL DOORS MUST BE WELDED OR BOLTED SHUT
17. WINDSHIELD MUST BE REMOVED
18. SCREEN OR BARS INSTALLED IN PLACE OF WINDSHIELD IS REQUIRED
19. SEAT BELTS ARE MANDATORY

19. RACING SHOULDER HARNESS AND LAP BELTS ARE RECOMMENDED
20. RACING SEATS ARE RECOMMENDED
21. MESH WINDOW NETS ARE PERMITTED AND MUST BE REMOVABLE
22. ALL BURNABLE MATERIAL (i.e. FLOOR MATS, HEAD LINERS, REAR SEATS, etc.) MUST BE REMOVED
23. THE REAR SEAT SHELF MUST REMAIN IN PLACE AS A FIRE STOP
24. ANY OPENINGS TO THE TRUNK AREA MUST BE ENCLOSED
25. PROPERLY ATTACHED FUEL CELLS MAY BE LOCATED IN THE TRUNK
26. NO BRACING IN THE BUMPER AREAS
27. BUMPER TO BUMPER STEEL UNI-BODY MUST BE RETAINED
28. NO CUTTING, CHOPPING, CHANNELING OR SHORTENING ALLOWED
29. NO LIGHTENING PERMITTED
30. NO ADDITIONAL WEIGHT MAY BE ADDED
31. THE STOCK STEEL UNALTERED FLOOR PAN, FIREWALLS, TRUNK AND WHEEL WELLS MUST BE RETAINED
32. CARS MUST RETAIN THEIR STOCK APPEARANCE
33. HOODS MUST BE KEPT IN PLACE AT ALL TIMES
34. SUSPENSION PARTS MUST REMAIN STOCK FOR THE MAKE AND MODEL
35. NO ALTERATION OF STOCK SUSPENSION (i.e. NO SPACERS, LUMBER OR CHAINS, etc.)
36. STEEL RACING WHEELS ALLOWED, 7" WIDTH MAXIMUM. NO BEAD LOCKS
37. DOT TIRES ONLY
 - a. NO DOT STAMPED RACING TIRES
 - b. NO TRUCK TIRES
 - c. NO TREATED TIRES
38. THE ENGINE MUST BE STRICTLY STOCK FOR THE MAKE AND MODEL
39. ORIGINAL ENGINE MOUNTS MUST BE UTILIZED
40. NO AFTERMARKET EXTERNAL OIL COOLERS
41. A/C AND HEAT COMPONENTS MAY BE REMOVED
42. SMOG EQUIPMENT MAY BE REMOVED

- 43. AIR CLEANER TO OIL PAN MUST BE ALL FACTORY EQUIPMENT
- 44. STOCK TRANSMISSION AND REAR END ONLY
- 45. DIFFERENTIAL MAY NOT BE LOCKED.
- 46. ALL TRANSMISSION LINES MUST BE COVERED OR RUN OUTSIDE OF DRIVER AREA OF CAR
- 47. ONLY ONE RADIATOR CAN BE USED
- 48. RADIATOR MUST REMAIN IN ORIGINAL POSITION
- 49. NO COOLANT OR GAS LINES IN THE DRIVER AREA OF CAR
- 50. FUEL CELLS PERMITTED AND MAY BE PLACED IN TRUNK AREA IF SECURELY FASTENED
- 51. BATTERIES MAY BE RELOCATED IN A SECURE FASTENED COVERED PLASTIC OR RUBBER CONTAINER
- 52. ALL PLASTIC GRILLS MUST BE REMOVED OR REPLACED WITH SCREEN MESH
- 53. HEADLIGHTS, TAIL LIGHTS, AND OUTER TRIM MUST BE REMOVED
- 54. SIDE AND REAR WINDOW GLASS MUST BE REMOVED
- 55. ALL SIDE MIRRORS AND REAR VIEW MIRRORS MUST BE REMOVED
- 56. NO MIRRORS ARE ALLOWED
- 57. FACTORY OEM ECU MAY BE TUNED.

ADDITIONAL SAFETY RULES

- 58. A RUPTURE OF YOUR GAS TANK AND OR LOSS OF GAS WILL WARRANT AN IMMEDIATE BLACK FLAG
- 59. APPROVED HELMET AND FIRESUIT ARE REQUIRED
- 60. RACEVIBERS ARE MANDATORY