

2026 Salina Highbanks Speedway Tim Chainey Trucking 10K To Win RWD Rules

COMPETIORS ALLOWED

1. SALINA Highbanks SPEEDWAY MAY PROHIBIT ANY DRIVER FROM COMPETING IN THIS DIVISION AT THE OFFICIALS' DISCRETION
2. DRIVERS MUST BE AT LEAST 14 YEARS OLD – DRIVERS UNDER THE AGE OF 19 MUST HAVE A PARENT PRESENT AND COMPLETE A MINOR RELEASE FORM.

VEHICLES ALLOWED

3. NO RACE CARS PERMITTED – STOCK CARS ONLY (2 DOOR OR 4 DOOR)
4. NO CONVERTIBLES
5. NO FULL SIZE TRUCKS, NO SUV'S OR JEEP-TYPE VEHICLES
6. NO 4-WHEEL DRIVE VEHICLES
7. MAY BE 4, 6 OR 8 CYLINDER ENGINES

VEHICLE RULES

8. CARS WITH A MINIMUM 108" WHEEL BASE ONLY
9. MINIMUM 4 POINT ROLL CAGE REQUIRED
10. STEEL BAR ON DRIVER DOOR IS PERMITTED
11. GUTTING OF FACTORY INTERIOR PANELS ALLOWED ONLY FOR ROLL CAGE CLEARANCE
12. INNER DOOR BRACING MAY BE REMOVED TO REPLACE WITH DOOR BARS
13. ALL DOORS MUST BE WELDED OR BOLTED SHUT
14. WINDSHIELD MUST BE REMOVED
15. SCREEN OR BARS INSTALLED IN PLACE OF WINDSHIELD IS REQUIRED
16. SEAT BELTS ARE MANDATORY
17. MUST WEIGH A MINIMUM OF 3500 LBS.

19. RACING SHOULDER HARNESS AND LAP BELTS ARE RECOMMENDED
20. RACING SEATS ARE RECOMMENDED
21. MESH WINDOW NETS ARE PERMITTED AND MUST BE REMOVABLE
22. ALL BURNABLE MATERIAL (i.e. FLOOR MATS, HEAD LINERS, REAR SEATS, etc.) MUST BE REMOVED
23. THE REAR SEAT SHELF MUST REMAIN IN PLACE AS A FIRE STOP
24. ANY OPENINGS TO THE TRUNK AREA MUST BE ENCLOSED
25. PROPERLY ATTACHED FUEL CELLS MAY BE LOCATED IN THE TRUNK
26. NO BRACING IN THE BUMPER AREAS
27. BUMPER TO BUMPER STEEL UNI-BODY MUST BE RETAINED
28. NO CUTTING, CHOPPING, CHANNELING OR SHORTENING ALLOWED
29. NO LIGHTENING PERMITTED
30. NO ADDITIONAL WEIGHT MAY BE ADDED
31. THE STOCK STEEL UNALTERED FLOOR PAN, FIREWALLS, TRUNK AND WHEEL WELLS MUST BE RETAINED
32. CARS MUST RETAIN THEIR STOCK APPEARANCE
33. HOODS MUST BE KEPT IN PLACE AT ALL TIMES
34. SUSPENSION PARTS MUST REMAIN STOCK FOR THE MAKE AND MODEL
35. NO ALTERATION OF STOCK SUSPENSION (i.e. NO SPACERS, LUMBER OR CHAINS, etc.)
36. RACING WHEELS ARE ALLOWED 7" WIDTH MINIMUM NO BEAD LOCKS.
37. DOT TIRES ONLY
 - a. NO DOT STAMPED RACING TIRES
 - b. NO TRUCK TIRES
 - c. NO TREATED TIRES
38. THE ENGINE MUST BE STRICTLY STOCK FOR THE MAKE AND MODEL
39. ORIGINAL ENGINE MOUNTS MUST BE UTILIZED
40. NO AFTERMARKET EXTERNAL OIL COOLERS
41. A/C AND HEAT COMPONENTS MAY BE REMOVED
42. SMOG EQUIPMENT MAY BE REMOVED

- 43. AIR CLEANER TO OIL PAN MUST BE ALL FACTORY EQUIPMENT
- 44. STOCK TRANSMISSION AND REAREND ONLY
- 45. DIFFERENTIAL MAY BE LOCKED
- 46. ALL TRANSMISSION LINES MUST BE COVERED OR RUN OUTSIDE OF DRIVER AREA OF CAR.
- 47. ONLY ONE RADIATOR CAN BE USED
- 48. RADIATOR MUST REMAIN IN ORIGINAL POSITION
- 49. NO COOLANT OR GAS LINES IN THE DRIVER AREA OF CAR
- 50. FUEL CELLS PERMITTED AND MAY BE PLACED IN TRUNK AREA IF SECURELY FASTENED
- 51. BATTERIES MAY BE RELOCATED IN A SECURE FASTENED COVERED PLASTIC OR RUBBER CONTAINER
- 52. ALL PLASTIC GRILLS MUST BE REMOVED OR REPLACED WITH SCREEN MESH
- 53. HEADLIGHTS, TAIL LIGHTS, AND OUTER TRIM MUST BE REMOVED
- 54. SIDE AND REAR WINDOW GLASS MUST BE REMOVED
- 55. ALL SIDE MIRRORS AND REAR VIEW MIRRORS MUST BE REMOVED
- 56. NO MIRRORS ARE ALLOWED
- 57. FACTORY OEM ECU MAY BE TUNED.

ADDITIONAL SAFETY RULES

- 58. A RUPTURE OF YOUR GAS TANK AND OR LOSS OF GAS WILL WARRANT AN IMMEDIATE BLACK FLAG
- 59. APPROVED HELMET AND FIRESUIT ARE REQUIRED
- 60. RACEIVERS ARE MANDATORY