# 2024 Salina Highbanks Speedway Trophy Car Rules

## **COMPETIORS ALLOWED**

- 1. NO DRIVERS WHO PLACED IN THE TOP 10 IN FINAL POINT STANDINGS IN ANY DIVISION IN 2019
- 2. NO DRIVERS WITH FEATURE WINS IN ANY DIVISION AT SALINA HIGHBANKS SPEEDWAY SINCE THE TRACK'S RE-OPENING IN 2011
- 3. SALINA HIGHBANKS SPEEDWAY MAY PROHIBIT ANY DRIVER FROM COMPETING IN THIS DIVISION AT THE OFFICIALS' DISCRETION
- 4. DRIVERS MUST BE AT LEAST 14 YEARS OLD (UNLESS OTHERWISE APPROVED BY SALINA HIGHBANKS SPEEDWAY) DRIVERS UNDER THE AGE OF 18 MUST HAVE A PARENT PRESENT AND COMPLETE A MINOR RELEASE FORM.

## **VEHICLES ALLOWED**

- 5. NO RACE CARS PERMITTED STOCK CARS ONLY (2 DOOR OR 4 DOOR)
- 6. NO CONVERTIBLES
- 7. NO TRUCKS, NO SUV'S OR JEEP-TYPE VEHICLES
- 8. NO 4-WHEEL DRIVE VEHICLES
- 9. MAY BE FRONT OR REAR WHEEL DRIVE (4, 6 OR 8 CYLINDER ENGINES)

### **VEHICLE RULES**

- 10. CARS WITH A MINIMUM 108" WHEEL BASE ONLY
- 11. MINIMUM 4 POINT ROLL CAGE REQUIRED
- 12. STEEL BAR ON DRIVER DOOR IS PERMITTED
- 13. GUTTING OF FACTORY INTERIOR PANELS ALLOWED ONLY FOR ROLL CAGE CLEARANCE
- 14. INNER DOOR BRACING MAY BE REMOVED TO REPLACE WITH DOOR BARS
- 15. ALL DOORS MUST BE WELDED OR BOLTED SHUT
- 16. WINDSHIELD MUST BE REMOVED
- 17. SCREEN OR BARS INSTALLED IN PLACE OF WINDSHIELD IS REQUIRED
- 18. SEAT BELTS ARE MANDATORY

- 19. RACING SHOULDER HARNESS AND LAP BELTS ARE RECOMMENDED
- 20. RACING SEATS ARE RECCOMENDED
- MESH WINDOW NETS ARE PERMITTED AND MUST BE REMOVABLE.
- 22. ALL BURNABLE MATERIAL (i.e. FLOOR MATS, HEAD LINERS, REAR SEATS, etc.) MUST BE REMOVED
- 23. THE REAR SEAT SHELF MUST REMAIN IN PLACE AS A FIRE STOP
- 24. ANY OPENINGS TO THE TRUNK AREA MUST BE ENCLOSED
- 25. PROPERLY ATTACHED FUEL CELLS MAY BE LOCATED IN THE TRUNK
- 26. NO BRACING IN THE BUMPER AREAS
- 27. BUMPER TO BUMPER STEEL UNI-BODY MUST BE RETAINED
- 28. NO CUTTING, CHOPPING, CHANNELING OR SHORTENING ALLOWED
- 29. NO LIGHTENING PERMITTED
- 30. NO ADDITIONAL WEIGHT MAY BE ADDED
- 31. THE STOCK STEEL UNALTERED FLOOR PAN, FIREWALLS, TRUNK AND WHEEL WELLS MUST BE RETAINED
- 32. CARS MUST RETAIN THEIR STOCK APPEARANCE
- 33. HOODS MUST BE KEPT IN PLACE AT ALL TIMES
- 34. SUSPENSION PARTS MUST REMAIN STOCK FOR THE MAKE AND MODEL
- 35. NO ALTERATION OF STOCK SUSPENSION (i.e. NO SPACERS, LUMBER OR CHAINS, etc.)
- 36. STOCK STEEL WHEELS ONLY
- 37. DOT TIRES ONLY
  - a. NO DOT STAMPED RACING TIRES
  - b. NO TRUCK TIRES
  - c. NO TREATED TIRES
- 38. THE ENGINE MUST BE STRICTLY STOCK FOR THE MAKE AND MODEL
- 39. ORIGINAL ENGINE MOUNTS MUST BE UTILIZED
- 40. NO AFTERMARKET EXTERNAL OIL COOLERS
- 41. A/C AND HEAT COMPONENTS MAY BE REMOVED
- 42. SMOG EQUIPMENT MAY BE REMOVED

- 43. AIR CLEANER TO OIL PAN MUST BE ALL FACTORY EQUIPMENT
- 44. STOCK TRANSMISSION AND REAREND ONLY
- 45. NO LOCKED REARENDS
- 46. ALL TRANSMISSION LINES MUST BE COVERED OR RUN OUTSIDE OF DRIVER AREA OF CAR
- 47. ONLY ONE RADIATOR CAN BE USED
- 48. RADIATOR MUST REMAIN IN ORIGINAL POSITION
- 49. NO COOLANT OR GAS LINES IN THE DRIVER AREA OF CAR
- 50. FUEL CELLS PERMITTED AND MAY BE PLACED IN TRUNK AREA IF SECURELY FASTENED
- 51. BATTERIES MAY BE RELOCATED IN A SECURE FASTENED COVERED PLASTIC OR RUBBER CONTAINER
- 52. ALL PLASTIC GRILLS MUST BE REMOVED OR REPLACED WITH SCREEN MESH
- 53. HEADLIGHTS, TAIL LIGHTS, AND OUTER TRIM MUST BE REMOVED
- 54. SIDE AND REAR WINDOW GLASS MUST BE REMOVED
- 55. ALL SIDE MIRRORS AND REAR VIEW MIRRORS MUST BE REMOVED
- 56. NO MIRRORS ARE ALLOWED

### **ADDITIONAL SAFETY RULES**

- 57. A RUPTURE OF YOUR GAS TANK AND OR LOSS OF GAS WILL WARRANT AN IMMEDIATE BLACK FLAG
- 58. APPROVED HELMET AND FIRESUIT ARE REQUIRED
- 59. RACEIVERS ARE MANDATORY